

MATERIAL SAFETY DATA SHEET

Gougeon Brothers, Inc.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WEST SYSTEM® 410™ Microlight™.
PRODUCT CODE: 410
CHEMICAL FAMILY: Thermoplastic polymer.
CHEMICAL NAME: Blend containing thermoplastic and inorganic microspheres.
FORMULA: No information.

MANUFACTURER:
Gougeon Brothers, Inc.
100 Patterson Avenue
Bay City, MI 48706, U.S.A.
Phone: 989-684-7286

EMERGENCY TELEPHONE NUMBERS:
Transportation
CHEMTREC:800-424-9300
Non-transportation
Poison Hotline:313-745-5711

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

<u>INGREDIENT NAME</u>	<u>CAS#</u>	<u>CONCENTRATION</u>
Sodium borosilicate	50818-87-7	
Formaldehyde polymer with toluene	25155-81-1	< 7%
Isobutane	75-28-5	< 5%
Tris (dimethylaminomethyl) phenol	90-72-2	< 3%
Vinylidene chloride	75-35-4	< 0.3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMS Hazard Rating: **Health - 2** **Flammability - 1** **Reactivity - 0**

WARNING! Nuisance dust hazard. Inhalation may be harmful. Eye irritant. Off-white powder.

PRIMARY ROUTE(S) OF ENTRY: Inhalation, eye contact, skin contact.

POTENTIAL HEALTH EFFECTS:

ACUTE INHALATION: May cause irritation to mucous membranes of the respiratory tract.

CHRONIC INHALATION: May cause respiratory sensitization.

ACUTE SKIN CONTACT: Irritation. May cause allergic reaction.

CHRONIC SKIN CONTACT: May cause sensitization.

EYE CONTACT:..... Irritation. Can be corrosive to eye tissue.

INGESTION: Can cause irritation of the gastrointestinal tract.

SYMPTOMS OF OVEREXPOSURE: Irritation of the mouth, nose and throat. Irritated and tearing eyes. Dry, itchy and irritated skin.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Allergic conditions. Asthma, dermatitis, and other skin or respiratory conditions.

4. FIRST AID MEASURES:

FIRST AID FOR EYES: Flush with water for at least 15 minutes. If effects persist, consult a physician.

FIRST AID FOR SKIN:..... Wash with soap and water.

FIRST AID FOR INHALATION: Remove to fresh air. If effects persist, consult a physician.

FIRST AID FOR INGESTION: Do not induce vomiting. Get medical attention if significant amounts are ingested.

5. FIRE FIGHTING MEASURES:

FLASH POINT: 188°C (Tag CC).

EXTINGUISHING MEDIA: Foam, carbon dioxide (CO₂) or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Burning will generate toxic fumes. Use a self-contained breathing apparatus and appropriate protective clothing when fighting fires in an enclosed area. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES:

SPILL OR LEAK PROCEDURES:..... Sweep and shovel or use properly grounded vacuum equipment. Do so in a manner that minimizes airborne dust.

7. HANDLING AND STORAGE:

STORAGE TEMPERATURE (min./max.):..... 0°F (-17°C)/90°F (32°C)

SHELF LIFE:..... Two years or more if stored properly.

STORAGE:..... Store in a tightly closed container. Keep away from open flame.

HANDLING PRECAUTIONS: Avoid handling that will unnecessarily generate airborne dust. Properly ground all material handling equipment to prevent static discharge.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

EYE PROTECTION GUIDELINES: Safety glasses or goggles are recommended, depending on the expected level of exposure.

SKIN PROTECTION GUIDELINES: Areas expected to have repeated exposure, such as hands, may need to be protected by a liquid-proof glove (such as neoprene or nitrile) to prevent irritation. Barrier creams can be used effectively.

RESPIRATORY/VENTILATION GUIDELINES:

Work environments should be maintained below applicable exposure levels through the use of engineering controls, such as dilution and exhaust ventilation. If this is not feasible, use a NIOSH approved dust mask/respirator for nuisance dust. A respirator with an organic vapor cartridge may be necessary for certain sensitized individuals.

ADDITIONAL PROTECTIVE MEASURES: Practice good industrial hygiene by washing with soap and water after each use. Avoid inhalation.

OCCUPATIONAL EXPOSURE LIMITS: This product should be treated as a nuisance dust. Refer to OSHA's Permissible Exposure Level (PEL) or the ACGIH Guidelines for information on specific ingredients.

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL FORM Powder.
COLOR Off-white to tan.
ODOR Slight ammonia-like odor.
BOILING POINT No data.
MELTING POINT/FREEZE POINT No data.
pH No data.
SOLUBILITY IN WATER Insoluble.
SPECIFIC GRAVITY 0.1
BULK DENSITY 0.41 pounds/gallon.
VAPOR PRESSURE Not applicable.
VAPOR DENSITY Not applicable.
% VOLATILE BY WEIGHT Zero.

10. REACTIVITY:

STABILITY: Stable.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidants, especially when hot.

DECOMPOSITION PRODUCTS: Carbon monoxide (CO), carbon dioxide (CO₂) and oxides of nitrogen. Corrosive fumes of hydrogen chloride may occur.

11. TOXICOLOGICAL INFORMATION:

No specific oral, inhalation or dermal toxicology data is known for this product.

Skin: No Data.

Oral: No Data.

Inhalation: No Data.

This products contains toluene (at < 0.07%) which is a known reproductive toxic.

CARCINOGENICITY:

NTP Product not listed.

IARC Product not listed.

OSHA Product not listed.

This product contains no known carcinogens in concentrations greater than 0.1%.

12. ECOLOGICAL INFORMATION:

Minimal borate content may cause damage to plants, particularly to citrus crops.

13. DISPOSAL CONSIDERATIONS:

WASTE DISPOSAL METHOD: This material is determined not to be a hazardous waste as per RCRA standards, either by listing or characteristics. Disposer must comply with all federal, state and local laws. Waste product may be sent to a landfill.

14. TRANSPORTATION INFORMATION:

D.O.T. SHIPPING NAME: Not regulated by D.O.T.

TECHNICAL SHIPPING NAME: Not applicable.

D.O.T. HAZARD CLASS: Not applicable.

U.N./N.A. NUMBER: Not applicable.

PACKING GROUP: Not applicable.

15. REGULATORY INFORMATION:

OSHA STATUS: Hazardous. Nuisance dust, irritant, possible sensitizer.

TSCA STATUS: All components of this product are included on the TSCA Inventory list.

SARA TITLE III:

SECTION 313 TOXIC CHEMICALS: None (de minimus).

STATE REGULATORY INFORMATION:

The following chemicals are specifically listed or otherwise regulated by individual states. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>COMPONENT NAME</u> <u>/CAS NUMBER</u>	<u>CONCENTRATION</u>	<u>STATE CODE</u>
Acrylonitrile 107-13-1	< 0.003%	¹ CA
Toluene 108-88-3	< 0.07%	¹ CA, PA
Vinylidene Chloride 75-35-4	< 0.3%	PA

¹ These substances are known to the state of California to cause cancer or reproductive harm, or both.

16. OTHER INFORMATION:

REASON FOR ISSUE: Standard information update in Section 2, 11, 15 and 16.
PREPARED BY: T. J. Atkinson
APPROVED BY: G. M. House
TITLE: Health, Safety & Environmental Manager
APPROVAL DATE: January 5, 2001
SUPERSEDES DATE: January 3, 1998
MSDS NUMBER: 410-01a

Note: The Hazardous Material Indexing System (HMIS), cited in the Emergency Overview of Section 3, uses the following index to assess hazard rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; and 4 = Severe.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Gougeon Brothers, Inc. The data on this sheet is related only to the specific material designated herein. Gougeon Brothers, Inc. assumes no legal responsibility for use or reliance upon these data.